

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7999 (1998): Sensory Analysis - Apparatus - Tasting Glass for Liquid Products [FAD 15: Food Hygiene, Safety Management and Other Systems]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS 7999 : 1998
ISO 5494 : 1978

भारतीय मानक
संवेदी विश्लेषण — उपकरण — द्रव उत्पाद चखने हेतु
गिलास
(पहला पुनरीक्षण)

Indian Standard
SENSORY ANALYSIS — APPARATUS — TASTING
GLASS FOR LIQUID PRODUCTS
(*First Revision*)

ICS 67.240; 71.040.20

© BIS 1998

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

July 1998

Price Group 2

NATIONAL FOREWORD

This Indian Standard (First Revision) which is identical with ISO 5494 : 1978 'Sensory analysis — Apparatus — Tasting glass for liquid products' issued by the International Organization for Standardization (ISO) was adopted by the Bureau of Indian Standards on the recommendation of the Food Analysis and Nutrition Sectional Committee and approval of the Food and Agriculture Division Council.

In the adopted standard certain terminology and conventions are not identical to those used in Indian Standards; attention is drawn specially to the following:

- a) Wherever the words 'International Standard' appear referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards the current practice is to use a point (.) as the decimal marker.

Indian Standard
**SENSORY ANALYSIS — APPARATUS — TASTING
GLASS FOR LIQUID PRODUCTS**
(First Revision)

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the characteristics of a tasting glass suitable for the sensory analysis of liquid products, especially high-proof spirits.¹⁾ This tasting glass may be used for the examination, by all types of tests (simple tasting, profile analysis, dilution test on hot or cold samples, etc.), of all organoleptic characteristics of samples of liquid products (colour, clarity, odour, flavour).

Some recommendations concerning the use of the glass are given in the annex.

2 DESCRIPTION (See figure)

The tasting glass consists of a graduated cup (of "tulip", or "thistle", shape) supported by a stem resting on a base. The opening of the cup is narrower than the convex part so as to concentrate the odours.

The glass may be provided with a lid.

3 PHYSICAL CHARACTERISTICS

The tasting glass shall be made from colourless²⁾ transparent glass, which shall be free of striae and bubbles. It shall appear colourless even when viewed from the base through the solid stem towards the opening.

Its rim shall be face-ground so that it can, if desired, be covered with an overlapping face-ground lid.

The tasting glass shall withstand sudden changes of temperature within the range from 0 °C to 100 °C.

4 DIMENSIONAL CHARACTERISTICS

The tasting glass shall have the dimensions shown in the figure. (The dimensions of the lid are shown as an example.)

5 SPECIAL CHARACTERISTICS

5.1 Lid

If a lid is provided, it shall be of glass and shall have rounded edges. The inside shall be convex to permit refluxing of condensate, and shall have an annular medium-fine face-ground zone.

5.2 Marking

The tasting glass shall be graduated at 15, 30, 50 and 100 ml.

The graduation marks shall be durable and colourless (i.e. effected by etching or grinding) and shall have a length of 30 ± 5 mm and a maximum width of 0,3 mm. Numbers 4 mm high, indicating the respective volumes, shall be placed above each graduation. The symbol "ml" shall be placed above the scale.

A small ground area for marking may be provided on the upper surface of the base.

5.3 Coloured tasting glass

In certain special tests it is necessary to use a tasting glass made of a glass which is sufficiently deep in colour to mask the colour of the product being examined and thus to eliminate the visual factor.

5.4 Tasting glass with an area for effervescence

In order to obtain reproducible results when determining the effervescence of samples containing carbon dioxide, the testing glass shall, in this case, have a ground circular area for the formation of bubbles. This ground area shall be in the central part of the bottom of the cup, and shall have a diameter of $5 \pm 0,5$ mm.

1) For the characteristics of a tasting glass designed for the sensory analysis of wines, see ISO 3591, *Sensory analysis — Apparatus — Wine-tasting glass*.

2) Except for special cases (see 5.3).




FIGURE — Form and dimensions of the tasting glass, and example of lid

ANNEX

RECOMMENDATIONS FOR USE

A.1 UPPER SPACE AND QUANTITY TO BE TASTED

The tasting glass should not be filled with more than 100 ml of the sample as a space is necessary above the liquid to collect the volatile substances given off by the sample before the olfactory examination.

When the odour of effervescent samples is being tested, the glass should not contain more than 50 ml of liquid in order to prevent droplets produced by bubbles bursting at the surface of the liquid from reaching the nose of the analyst.

A.2 CLEANING AND DRYING

A.2.1 The tasting glass should be perfectly clean; it should therefore be carefully rinsed with distilled water after having been washed in such a way as to leave it completely odourless. Particular attention is drawn to the fact that the majority of commercial detergents are perfumed. The use of detergents should be prohibited when the glass is to be used to examine the effervescence of beverages.

Cleaning by use of concentrated mineral acids or a chromic-sulphuric acid mixture should also be prohibited.

A.2.2 Drying should preferably be carried out using hot

air, free from traces of oil. Particular attention is drawn to the fact that cloths can transmit odours.

Glasses to be used for the examination of effervescence should be rinsed several times with distilled water and left to dry, without a cloth being used, in an inverted position.

After drying, the glass should be protected from dust, preferably being suspended by its base or fitted with its lid if it is provided with one.

A.3 MARKING

If markings are to be made on the ground area on the base, it is recommended that a pencil or a perfectly odourless ink be used.

A.4 USE AND HANDLING

Before use, it is necessary to rinse the tasting glass with a small portion of the sample to be tested, except in the case of effervescent samples in which case only a perfectly dry glass should be used.

To avoid the influence of body warmth, the glass should be grasped by the stem only, and the cup should not be touched by the fingers or the nose.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards : Monthly Additions'.

This Indian Standard has been developed from Doc : No. FAD 58 (883).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002
Telephones : 323 01 31, 323 94 02, 323 33 75

Telegrams: Manaksanstha
(Common to
all offices)

Regional Offices:

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110002

Telephone
{ 323 76 17
323 38 41

Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola
CALCUTTA 700054

{ 337 84 99, 337 85 61
337 86 26, 337 86 62

Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022

{ 60 38 43
60 20 25

Southern : C. I. T. Campus, IV Cross Road, CHENNAI 600113

{ 235 02 16, 235 04 42
235 15 19, 235 23 15

Western : Manakalaya, E9 MIDC, Marol, Andheri (East)
MUMBAI 400093

{ 832 92 95, 832 78 58
832 78 91, 832 78 92

Branches : AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR.
COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR.
KANPUR. LUCKNOW. NAGPUR. PATNA. PUNE. THIRUVANANTHAPURAM.